

5

10

15

97/CAB/C614

HYBRID TEA ROSE PLANT NAMED 'INTREPID RED'

CLASSIFICATION

The present invention relates to a new Rosa hybrida plant.

VARIETY DENOMINATION

The new plant has the varietal denomination 'INTREPID RED'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct variety of rose plant of the hybrid tea rose of the genus *Rosaceae* which was created by crossing as seed and pollen parents two (2) unknown rose varieties. The varietal denomination of the new variety is 'INTREPID RED'.

SUMMARY OF THE INVENTION

Among the novel characteristics possessed by this new variety onto the root stock of 'Dr. Huey' which distinguishes it from other varieties of which I am aware, is its dark red flowers.

Asexual reproduction by propagation by budding of the new variety as performed in Wasco, California shows that the foregoing and other distinguishing characteristics come true to form and are established and transmitted through succeeding propagations.

25

30

1

5

10

15

BRIEF DESCRIPTION OF ILLUSTRATION

The accompanying illustration shows typical specimens of the flowers and foliage of the new variety depicted in color as nearly true as it is reasonably possible to make the same in a color illustration of this character.

DESCRIPTION OF THE NEW VARIETY

The following is a detailed description of 2-year budded plants of the new variety, with color terminology in accordance with *The Royal Horticultural Society Colour Chart* (RHSCC). The terminology used in color description herein refers to plate numbers in the aforementioned color chart. Phenotypic expression may vary with light availability, environmental and cultural conditions.

The following observations are made of specimens grown outdoors in Wasco, California, during November budded on 'DR. HUEY' understock.

PLANT

Form: Compact

Growth: Medium vigor

20 Size: Height about 48 inches; width

about 32 inches

Foliage

Size: Terminal leaflet length

about 2 3/16 inches; width

about 1 1/4 inches

Quantity: Leaves compound, with 3 to 7

leaflets; most typically 7

30 leaflets

10011000

Color

47497/CAB/C614

New foliage: Upper side near 136A; under

1 side near 136B

Mature foliage: Upper side near 137A; under

side near 137C

5 Shape: Elliptic

Texture

Upper side: Smooth, semi-glossy

10 Under side: Matte

Edge: Serrated

Serration: Slight

Petioles: Top surface color near 138B;

Under side near 138B

Stipules: Medium length

Rachis: Few prickles

20 Variegation: None observed

WOOD

30

New shoots

Bark: Smooth

Wood: Near 47B

Old wood

Bark: Smooth

Wood: Near 140B

47497/CAB/C614

	Flowering stem:	Length about 18 to 20 inches
1	Winter Hardiness:	Completely winter hardy
	Resistance to Disease:	Average
5	Preferred growing conditions:	Full sun
	Growth habit:	Compact
	Leaves per stem:	About 5
10	Thorns	Average number of thorns and prickles; color of mature thorn near 148D at the tip and near 148C at the base
	LOWER/INFLORESCENCE	
15	Blooming Habit:	Continuous
	Bud	Length about 1 1/2 inches; width about 1 1/2 inches
20	Form:	Classic rose
25	Color:	Before sepals divide color near 53A; when sepals first divide color near 53B; when petals begin to unfurl color near 53A
	Conala.	
	Sepals:	Pointed and serrated, usually 5 sepals, occasional extensions about 5/8 inch
30	Size:	Length in relation to bud, about 1 3/4 inches

47497/CAB/C614

1	Color	Topside near 156D; bottom near 138C
	Peduncle	
5	Length:	About 2 inches
	Aspect:	Strong, erect
	Color:	Near 141D
	Flower	
10	Size:	About 4 1/4 inches
	Borne:	Single - one per stem
	Form:	High centered
15	Petalage:	About 29, petals fan-shaped, petals imbricated, margins smooth
20	Petaloids in center:	Few, usually about 3, color near 74A
	Persistence:	Average
	Fragrance:	Slight
25	Lasting Quality:	About 3 weeks on plant; about 7 days after cutting
	Color	
30	During first 2 days:	Inner petals at flower center topside near 60C; bottom near 63A; outer petals topside

near 60C, bottom near 63A

47497/CAB/C614

Base of petals

1 (Point of attachment): Near 2B

General tonality from a

distance: Near 63A

5 Color Change: As bloom ages to near 63A;

after 3 or more days color

near 63A

Petals

10 Texture: Soft

Appearance: Velvety front; satiny back

REPRODUCTIVE ORGANS

Arrangement of stamens, Regularly arranged around 15

Filaments and Anthers: styles, about 50 filaments

and anthers, no pollen

observed

Color: Filaments near 5B; Anthers

20 near 6B

Styles: Medium length

Hips/Seed Vessels/Ovaries

Shape: Round

Size: About 1/4 inch

Color: Near 141C

Seeds: No seeds

30

47497/CAB/C614

1	DISEASE RESISTANCE	The cultivar exhibits average resistance/susceptibility to disease
5		
10		
15		
20		
25		
30		